

# Calculation of AQI

<b>Date</b> Apr-2017	<b>Station</b> Export promotional park ITPL
	<b>City</b> Bangalore
	<b>State</b> Karnataka

Pollutants		concentration in $\mu\text{g}/\text{m}^3$ (except for CO)	Sub-Index	check	Air Quality Index
PM10	Monthly avg	0.00	0	0	<b>AQI =</b> <span style="border: 1px solid black; padding: 10px; display: inline-block;">Atleast 3 inputs*</span>
PM2.5	Monthly avg	0.00	0	0	
SO2	Monthly avg	0.00	0	0	
NO2	Monthly avg	0.00	0	0	
*CO (mg/m3)	Monthly avg	0.00	0	0	
O3	Monthly avg	0.00	0	0	
NH3	Monthly avg	0.00	0	0	

\* Concentrations of minimum three pollutants are required; one of them should be PM10 or PM2.5

\* The check displays "1" when a non-zero value is entered

<b>Good</b> (0–50)	Minimal Impact	<b>Poor</b> (201–300)	Breathing discomfort to people on prolonged exposure
<b>Satisfactory</b> (51–100)	Minor breathing discomfort to sensitive people	<b>Very Poor</b> (301–400)	Respiratory illness to the people on prolonged exposure
<b>Moderate</b> (101–200)	Breathing discomfort to the people with lung, heart disease, children and older adults	<b>Severe</b> (>401)	Respiratory effects even on healthy people

**Note:** Samples were not received during April-2017 for analysis,  
hence AQI not done

# Calculation of AQI

<b>Date</b> Apr-2017	<b>Station</b> City State	KHB Indl Area, Yelahanka Bangalore Karnataka
-------------------------	---------------------------------	--

Pollutants		concentration in $\mu\text{g}/\text{m}^3$ (except for CO)	Sub-Index	check	Air Quality Index
PM10	Monthly avg	137.00	125	1	<b>AQI = 125</b>
PM2.5	Monthly avg	60.00	100	1	
SO2	Monthly avg	2.00	3	1	
NO2	Monthly avg	26.00	33	1	
*CO (mg/m3)	Monthly avg	0.00	0	0	
O3	Monthly avg	0.00	0	0	
NH3	Monthly avg	29.00	7	1	

\* Concentrations of minimum three pollutants are required; one of them should be PM10 or PM2.5

\* The check displays "1" when a non-zero value is entered

<b>Good (0-50)</b>	Minimal Impact	<b>Poor (201-300)</b>	Breathing discomfort to people on prolonged exposure
<b>Satisfactory (51-100)</b>	Minor breathing discomfort to sensitive people	<b>Very Poor (301-400)</b>	Respiratory illness to the people on prolonged exposure
<b>Moderate (101-200)</b>	Breathing discomfort to the people with lung, heart disease, children and older adults	<b>Severe (&gt;401)</b>	Respiratory effects even on healthy people

# Calculation of AQI

Date	Apr-2017		Station	Peenya Indl Area	
			City	Bangalore	
			State	Karnataka	
Pollutants		concentration in $\mu\text{g}/\text{m}^3$ (except for CO)	Sub-Index		Air Quality Index
PM10	Monthly avg	101.00	101	check 1	<b>AQI = 101</b>
PM2.5	Monthly avg	48.00	80	1	
SO2	Monthly avg	2.00	3	1	
NO2	Monthly avg	31.00	39	1	
*CO (mg/m3)	Monthly avg	0.00	0	0	
O3	Monthly avg	0.00	0	0	
NH3	Monthly avg	36.00	9	1	
<p>* Concentrations of minimum three pollutants are required; one of them should be PM10 or PM2.5</p> <p>* The check displays "1" when a non-zero value is entered</p>					
<b>Good (0-50)</b>	Minimal Impact			<b>Poor (201-300)</b>	Breathing discomfort to people on prolonged exposure
<b>Satisfactory (51-100)</b>	Minor breathing discomfort to sensitive people			<b>Very Poor (301-400)</b>	Respiratory illness to the people on prolonged exposure
<b>Moderate (101-200)</b>	Breathing discomfort to the people with lung, heart disease, children and older adults			<b>Severe (&gt;401)</b>	Respiratory effects even on healthy people

## Calculation of AQI

<b>Date</b>				<b>Station</b>	Yeshwanthpura		
Apr-2017				<b>City</b>	Bangalore		
				<b>State</b>	Karnataka		
<b>Pollutants</b>		<b>concentration in µg/m<sup>3</sup> (except for CO)</b>	<b>Sub-Index</b>			<b>Air Quality Index</b>	
PM10	Monthly avg	100.00	100	check		<b>AQI = 100</b>	
PM2.5	Monthly avg	40.00	67	1			
SO2	Monthly avg	2.00	3	1			
NO2	Monthly avg	36.00	45	1			
*CO (mg/m <sup>3</sup> )	Monthly avg	0.00	0	0			
O3	Monthly avg	0.00	0	0			
NH3	Monthly avg	42.00	11	1			

\* Concentrations of minimum three pollutants are required; one of them should be PM10 or PM2.5

\* The check displays "1" when a non-zero value is entered

<b>Good (0-50)</b>	Minimal Impact	<b>Poor (201-300)</b>	Breathing discomfort to people on prolonged exposure
<b>Satisfactory (51-100)</b>	Minor breathing discomfort to sensitive people	<b>Very Poor (301-400)</b>	Respiratory illness to the people on prolonged exposure
<b>Moderate (101-200)</b>	Breathing discomfort to the people with lung, heart disease, children and older adults	<b>Severe (&gt;401)</b>	Respiratory effects even on healthy people

# Calculation of AQI

<b>Date</b> Apr-2017	<b>Station</b> Amco Batteries Msore Road
	<b>City</b> Bangalore
	<b>State</b> Karnataka

Pollutants		concentration in $\mu\text{g}/\text{m}^3$ (except for CO)	Sub-Index	check	Air Quality Index
PM10	Monthly avg	75.00	75	1	<b>AQI = 75</b>
PM2.5	Monthly avg	39.00	65	1	
SO2	Monthly avg	2.00	3	1	
NO2	Monthly avg	34.00	43	1	
*CO (mg/m3)	Monthly avg	0.00	0	0	
O3	Monthly avg	0.00	0	0	
NH3	Monthly avg	38.00	10	1	

\* Concentrations of minimum three pollutants are required; one of them should be PM10 or PM2.5

\* The check displays "1" when a non-zero value is entered

<b>Good (0-50)</b>	Minimal Impact	<b>Poor (201-300)</b>	Breathing discomfort to people on prolonged exposure
<b>Satisfactory (51-100)</b>	Minor breathing discomfort to sensitive people	<b>Very Poor (301-400)</b>	Respiratory illness to the people on prolonged exposure
<b>Moderate (101-200)</b>	Breathing discomfort to the people with lung, heart disease, children and older adults	<b>Severe (&gt;401)</b>	Respiratory effects even on healthy people

# Calculation of AQI

Date		Station		City		State	
Apr-2017		Central Silk Board		Bangalore		Karnataka	
Pollutants		concentration in $\mu\text{g}/\text{m}^3$ (except for CO)	Sub-Index	check	Air Quality Index		
PM10	Monthly avg	0.00	0	0	<b>AQI =</b> <div style="border: 1px solid black; background-color: #ADD8E6; padding: 10px; display: inline-block;"> <b>Atleast 3 inputs*</b> </div>		
PM2.5	Monthly avg	0.00	0	0			
SO2	Monthly avg	2.00	3	1			
NO2	Monthly avg	35.00	44	1			
*CO (mg/m3)	Monthly avg	0.00	0	0			
O3	Monthly avg	0.00	0	0			
NH3	Monthly avg	45.00	11	1			
* Concentrations of minimum three pollutants are required; one of them should be PM10 or PM2.5 * The check displays "1" when a non-zero value is entered							
<b>Good (0-50)</b>	Minimal Impact			<b>Poor (201-300)</b>	Breathing discomfort to people on prolonged exposure		
<b>Satisfactory (51-100)</b>	Minor breathing discomfort to sensitive people			<b>Very Poor (301-400)</b>	Respiratory illness to the people on prolonged exposure		
<b>Moderate (101-200)</b>	Breathing discomfort to the people with lung, heart disease, children and older adults			<b>Severe (&gt;401)</b>	Respiratory effects even on healthy people		

Note : -  $PM_{10}$  &  $PM_{2.5}$  Samples were not received for analysis,  
hence Lead also cannot be analysed and AQI not done



# Calculation of AQI

<b>Date</b>		<b>Station</b>	Victoria Hospital
Apr-2017		<b>City</b>	Bangalore
		<b>State</b>	Karnataka

Pollutants		concentration in $\mu\text{g}/\text{m}^3$ (except for CO)	Sub-Index		Air Quality Index
PM10	Monthly avg	80.00	80	check 1	<b>AQI = 80</b>
PM2.5	Monthly avg	45.00	75	1	
SO2	Monthly avg	2.00	3	1	
NO2	Monthly avg	32.00	40	1	
*CO (mg/m3)	Monthly avg	0.00	0	0	
O3	Monthly avg	0.00	0	0	
NH3	Monthly avg	38.00	10	1	

\* Concentrations of minimum three pollutants are required; one of them should be PM10 or PM2.5

\* The check displays "1" when a non-zero value is entered

<b>Good (0-50)</b>	Minimal Impact	<b>Poor (201-300)</b>	Breathing discomfort to people on prolonged exposure
<b>Satisfactory (51-100)</b>	Minor breathing discomfort to sensitive people	<b>Very Poor (301-400)</b>	Respiratory illness to the people on prolonged exposure
<b>Moderate (101-200)</b>	Breathing discomfort to the people with lung, heart disease, children and older adults	<b>Severe (&gt;401)</b>	Respiratory effects even on healthy people

## Calculation of AQI

<b>Date</b>		<b>Station</b>	Indira Gandhi CHC-NIMHANS
Apr-2017		<b>City</b>	Delhi
		<b>State</b>	Delhi

Pollutants		concentration in $\mu\text{g}/\text{m}^3$ (except for CO)	Sub-Index			Air Quality Index
PM10	Monthly avg	0.00	0	check	0	<div style="border: 2px solid black; padding: 20px; display: inline-block;"> <p style="font-size: 24px; margin: 0;"><b>AQI = 52</b></p> </div>
PM2.5	Monthly avg	31.00	52		1	
SO2	Monthly avg	2.00	3		1	
NO2	Monthly avg	30.00	38		1	
*CO (mg/m3)	Monthly avg	0.00	0		0	
O3	Monthly avg	0.00	0		0	
NH3	Monthly avg	37.00	9		1	

\* Concentrations of minimum three pollutants are required; one of them should be PM10 or PM2.5

\* The check displays "1" when a non-zero value is entered

<b>Good (0–50)</b>	Minimal Impact	<b>Poor (201–300)</b>	Breathing discomfort to people on prolonged exposure
<b>Satisfactory (51–100)</b>	Minor breathing discomfort to sensitive people	<b>Very Poor (301–400)</b>	Respiratory illness to the people on prolonged exposure
<b>Moderate (101–200)</b>	Breathing discomfort to the people with lung, heart disease, children and older adults	<b>Severe (&gt;401)</b>	Respiratory effects even on healthy people

## Calculation of AQI

<b>Date</b>		<b>Station</b>	City Railway Station
Apr-2017		<b>City</b>	Bangalore
		<b>State</b>	Karnataka

Pollutants		concentration in $\mu\text{g}/\text{m}^3$ (except for CO)	Sub-Index			Air Quality Index
PM10	Monthly avg	92.66	93	check		
PM2.5	Monthly avg	0.00	0	0		
SO2	Monthly avg	6.62	8	1		
NO2	Monthly avg	36.82	46	1		
*CO (mg/m3)	Monthly avg	0.00	0	0		
O3	Monthly avg	0.00	0	0		
NH3	Monthly avg	24.19	6	1		
<b>AQI =</b>					<div style="border: 2px solid black; background-color: #76b82a; color: white; padding: 10px; display: inline-block; font-size: 24px; font-weight: bold;">93</div>	

\* Concentrations of minimum three pollutants are required; one of them should be PM10 or PM2.5  
 \* The check displays "1" when a non-zero value is entered

<b>Good (0-50)</b>	Minimal Impact	<b>Poor (201-300)</b>	Breathing discomfort to people on prolonged exposure
<b>Satisfactory (51-100)</b>	Minor breathing discomfort to sensitive people	<b>Very Poor (301-400)</b>	Respiratory illness to the people on prolonged exposure
<b>Moderate (101-200)</b>	Breathing discomfort to the people with lung, heart disease, children and older adults	<b>Severe (&gt;401)</b>	Respiratory effects even on healthy people

# Calculation of AQI

<b>Date</b> Apr-2017	<b>Station</b> Saneguruvanahalli-CAAQM
	<b>City</b> Bangalore
	<b>State</b> Karnataka

Pollutants		concentration in $\mu\text{g}/\text{m}^3$ (except for CO)	Sub-Index	check	Air Quality Index
PM10	Monthly avg	52.98	53	1	<b>AQI = 53</b>
PM2.5	Monthly avg	0.00	0	0	
SO2	Monthly avg	2.58	3	1	
NO2	Monthly avg	32.71	41	1	
*CO (mg/m3)	Monthly avg	0.00	0	0	
O3	Monthly avg	0.00	0	0	
NH3	Monthly avg	20.83	5	1	

\* Concentrations of minimum three pollutants are required; one of them should be PM10 or PM2.5

\* The check displays "1" when a non-zero value is entered

<b>Good</b> (0–50)	Minimal Impact	<b>Poor</b> (201–300)	Breathing discomfort to people on prolonged exposure
<b>Satisfactory</b> (51–100)	Minor breathing discomfort to sensitive people	<b>Very Poor</b> (301–400)	Respiratory illness to the people on prolonged exposure
<b>Moderate</b> (101–200)	Breathing discomfort to the people with lung, heart disease, children and older adults	<b>Severe</b> (>401)	Respiratory effects even on healthy people

# Calculation of AQI

<b>Date</b>		<b>Station</b>	Kajisonnenahalli
Apr-2017		<b>City</b>	Bangalore
		<b>State</b>	Karnataka

Pollutants		concentration in $\mu\text{g}/\text{m}^3$ (except for CO)	Sub-Index		Air Quality Index
PM10	Monthly avg	0.00	0	check	<b>AQI =</b> <div style="border: 1px solid black; background-color: #ADD8E6; padding: 10px; display: inline-block;"> <b>Atleast 3 inputs*</b> </div>
PM2.5	Monthly avg	0.00	0	0	
SO2	Monthly avg	0.00	0	0	
NO2	Monthly avg	0.00	0	0	
*CO (mg/m3)	Monthly avg	0.00	0	0	
O3	Monthly avg	0.00	0	0	
NH3	Monthly avg	0.00	0	0	

\* Concentrations of minimum three pollutants are required; one of them should be PM10 or PM2.5

\* The check displays "1" when a non-zero value is entered

<b>Good (0-50)</b>	Minimal Impact	<b>Poor (201-300)</b>	Breathing discomfort to people on prolonged exposure
<b>Satisfactory (51-100)</b>	Minor breathing discomfort to sensitive people	<b>Very Poor (301-400)</b>	Respiratory illness to the people on prolonged exposure
<b>Moderate (101-200)</b>	Breathing discomfort to the people with lung, heart disease, children and older adults	<b>Severe (&gt;401)</b>	Respiratory effects even on healthy people

**Note:** Samples were not received during April-2017 for analysis,  
hence AQI not done

# Calculation of AQI

Date				Station	TERI -Domlur	
Apr-2017				City	Bangalore	
				State	Karnataka	
Pollutants		concentration in $\mu\text{g}/\text{m}^3$ (except for CO)	Sub-Index		Air Quality Index	
PM10	Monthly avg	141.00	127	check 1	<b>AQI = 127</b>	
PM2.5	Monthly avg	64.00	113	1		
SO2	Monthly avg	2.00	3	1		
NO2	Monthly avg	34.00	43	1		
*CO (mg/m3)	Monthly avg	0.00	0	0		
O3	Monthly avg	0.00	0	0		
NH3	Monthly avg	34.00	9	1		
<small>* Concentrations of minimum three pollutants are required; one of them should be PM10 or PM2.5            * The check displays "1" when a non-zero value is entered</small>						
<b>Good (0–50)</b>	Minimal Impact			<b>Poor (201–300)</b>	Breathing discomfort to people on prolonged exposure	
<b>Satisfactory (51–100)</b>	Minor breathing discomfort to sensitive people			<b>Very Poor (301–400)</b>	Respiratory illness to the people on prolonged exposure	
<b>Moderate (101–200)</b>	Breathing discomfort to the people with lung, heart disease, children and older adults			<b>Severe (&gt;401)</b>	Respiratory effects even on healthy people	

# Calculation of AQI

<b>Date</b> Apr-2017		<b>Station</b> Banasawadi Police Station	
		<b>City</b> Bangalore	
		<b>State</b> Karnataka	

  

Pollutants		concentration in $\mu\text{g}/\text{m}^3$ (except for CO)	Sub-Index	check	Air Quality Index
PM10	Monthly avg	0.00	0	0	<b>AQI =</b> <div style="border: 1px solid black; background-color: #ADD8E6; padding: 10px; display: inline-block;"> <b>Atleast 3 inputs*</b> </div>
PM2.5	Monthly avg	0.00	0	0	
SO2	Monthly avg	0.00	0	0	
NO2	Monthly avg	0.00	0	0	
*CO (mg/m3)	Monthly avg	0.00	0	0	
O3	Monthly avg	0.00	0	0	
NH3	Monthly avg	0.00	0	0	

\* Concentrations of minimum three pollutants are required; one of them should be PM10 or PM2.5

\* The check displays "1" when a non-zero value is entered

<b>Good (0-50)</b>	Minimal Impact	<b>Poor (201-300)</b>	Breathing discomfort to people on prolonged exposure
<b>Satisfactory (51-100)</b>	Minor breathing discomfort to sensitive people	<b>Very Poor (301-400)</b>	Respiratory illness to the people on prolonged exposure
<b>Moderate (101-200)</b>	Breathing discomfort to the people with lung, heart disease, children and older adults	<b>Severe (&gt;401)</b>	Respiratory effects even on healthy people

**Note:** Samples were not received during April-2017 for analysis, hence AQI not done



## Calculation of AQI

Date				Station	UVCE, KR CIRCLE
Apr-2017				City	Bangalore
				State	Karnataka
Pollutants		concentration in $\mu\text{g}/\text{m}^3$ (except for CO)	Sub-Index		Air Quality Index
PM10	Monthly avg	84.00	84	check 1	<b>AQI =</b> <span style="background-color: #92d050; padding: 10px; font-size: 24px; font-weight: bold;">84</span>
PM2.5	Monthly avg	41.00	68	1	
SO2	Monthly avg	2.00	3	1	
NO2	Monthly avg	21.00	26	1	
*CO ( $\text{mg}/\text{m}^3$ )	Monthly avg	0.00	0	0	
O3	Monthly avg	0.00	0	0	
NH3	Monthly avg	22.00	6	1	
<small>* Concentrations of minimum three pollutants are required; one of them should be PM10 or PM2.5            * The check displays "1" when a non-zero value is entered</small>					
<b>Good (0–50)</b>	Minimal Impact			<b>Poor (201–300)</b>	Breathing discomfort to people on prolonged exposure
<b>Satisfactory (51–100)</b>	Minor breathing discomfort to sensitive people			<b>Very Poor (301–400)</b>	Respiratory illness to the people on prolonged exposure
<b>Moderate (101–200)</b>	Breathing discomfort to the people with lung, heart disease, children and older adults			<b>Severe (&gt;401)</b>	Respiratory effects even on healthy people

# Calculation of AQI

<b>Date</b> Apr-2017			<b>Station</b> City State	Swan silk Pvt Ltd, Peenya Bangalore Karnataka	
<b>Pollutants</b>		<b>concentration in <math>\mu\text{g}/\text{m}^3</math> (except for CO)</b>	<b>Sub-Index</b>		<b>Air Quality Index</b>
PM10	Monthly avg	115.00	110	check 1	<b>AQI = 110</b>
PM2.5	Monthly avg	54.00	90	1	
SO2	Monthly avg	2.00	3	1	
NO2	Monthly avg	32.00	40	1	
CO ( $\text{mg}/\text{m}^3$ )	Monthly avg	0.00	0	0	
O3	Monthly avg	0.00	0	0	
NH3	Monthly avg	37.00	9	1	

\* Concentrations of minimum three pollutants are required; one of them should be PM10 or PM2.5

\* The check displays "1" when a non-zero value is entered

<b>Good</b> (0-50)	Minimal Impact	<b>Poor</b> (201-300)	Breathing discomfort to people on prolonged exposure
<b>Satisfactory</b> (51-100)	Minor breathing discomfort to sensitive people	<b>Very Poor</b> (301-400)	Respiratory illness to the people on prolonged exposure
<b>Moderate</b> (101-200)	Breathing discomfort to the people with lung, heart disease, children and older adults	<b>Severe</b> (>401)	Respiratory effects even on healthy people

# Calculation of AQI

<b>Date</b>		<b>Station</b>	RO, TUMKUR
Apr-2017		<b>City</b>	TUMKUR
		<b>State</b>	Karnataka

Pollutants		concentration in $\mu\text{g}/\text{m}^3$ (except for CO)	Sub-Index		
PM10	Monthly avg	132.00	121	1	<b>AQI =</b> <span style="background-color: yellow; border: 2px solid black; padding: 10px; font-size: 24px; font-weight: bold;">121</span>
PM2.5	Monthly avg	56.00	93	1	
SO2	Monthly avg	2.00	3	1	
NO2	Monthly avg	28.00	35	1	
CO ( $\text{mg}/\text{m}^3$ )	Monthly avg	0.00	0	0	
O3	Monthly avg	0.00	0	0	
NH3	Monthly avg	32.00	8	1	

\* Concentrations of minimum three pollutants are required; one of them should be PM10 or PM2.5

\* The check displays "1" when a non-zero value is entered

<b>Good</b> (0–50)	Minimal Impact	<b>Poor</b> (201–300)	Breathing discomfort to people on prolonged exposure
<b>Satisfactory</b> (51–100)	Minor breathing discomfort to sensitive people	<b>Very Poor</b> (301–400)	Respiratory illness to the people on prolonged exposure
<b>Moderate</b> (101–200)	Breathing discomfort to the people with lung, heart disease, children and older adults	<b>Severe</b> (>401)	Respiratory effects even on healthy people

# Calculation of AQI

<b>Date</b> Apr-2017	<b>Station</b> RO, KOLAR		<b>City</b> KOLAR		<b>State</b> Karnataka	
<b>Pollutants</b>		<b>concentration in <math>\mu\text{g}/\text{m}^3</math> (except for CO)</b>	<b>Sub-Index</b>			<b>Air Quality Index</b>
PM10	Monthly avg	69.00	69	check 1		<b>AQI = 69</b>
PM2.5	Monthly avg	32.00	53	1		
SO2	Monthly avg	2.00	3	1		
NO2	Monthly avg	32.00	40	1		
CO ( $\text{mg}/\text{m}^3$ )	Monthly avg	0.00	0	0		
O3	Monthly avg	0.00	0	0		
NH3	Monthly avg	31.00	8	1		
<p>* Concentrations of minimum three pollutants are required; one of them should be PM10 or PM2.5</p> <p>* The check displays "1" when a non-zero value is entered</p>						

<b>Good</b> (0-50)	Minimal Impact	<b>Poor</b> (201-300)	Breathing discomfort to people on prolonged exposure
<b>Satisfactory</b> (51-100)	Minor breathing discomfort to sensitive people	<b>Very Poor</b> (301-400)	Respiratory illness to the people on prolonged exposure
<b>Moderate</b> (101-200)	Breathing discomfort to the people with lung, heart disease, children and older adults	<b>Severe</b> (>401)	Respiratory effects even on healthy people

**AAQM results for the month of April- 2017**

Sl. No.	Name of the Monitoring Station	Date of Monitoring	(24 hrs Time Weighted Average)						
			PM <sub>10</sub> µg/m <sup>3</sup>	PM <sub>2.5</sub> µg/m <sup>3</sup>	SO <sub>2</sub> µg/m <sup>3</sup>	NO <sub>2</sub> µg/m <sup>3</sup>	NH <sub>3</sub> µg/m <sup>3</sup>	Pb µg/m <sup>3</sup>	CO mg/m <sup>3</sup>
1	AMCO Batteries,	Apr-17	75.0	35.0	BDL	34.0	38.0	0.1	*
2	Central Silk Board, Hosur Road,	Apr-17	*	*	*	35.0	45.0	*	*
3	Indhira Gandhi Children Health Care	Apr-17	*	31.0	*	30.0	37.0	*	*
4	ITPL, Whietfield	Apr-17	*	*	*	*	*	*	*
5	Mr. Madhachari's House Kazissonnenihall	Apr-17	*	*	*	*	*	*	*
6	KHB Ind. Area, Yelahanka	Apr-17	137.0	60.0	*	26.0	29.0	0.3	*
7	Swan Silk Pvt. Ltd., Peenya	Apr-17	115.0	54.0	*	32.0	37.0	0.1	*
8	Urban Eco Park, Peenya	Apr-17	101.0	48.0	*	31.0	36.0	0.1	*
9	Victoria Hospital, K. R. Market	Apr-17	80.0	45.0	*	32.0	38.0	0.0	*
10	Yeswanthapura Police Station	Apr-17	100.0	40.0	*	36.0	42.0	0.0	*
11	Terri Office, Old Air Port Road, Domlur	Apr-17	141.0	64.0	*	34.0	34.0	0.1	*
12	Banasawadi Police Station	Apr-17	*	*	*	*	*	*	*
13	UVCE, K.R Circle	Apr-17	84.0	41.0	*	21.0	22.0	0.1	*
14	City RailwayStation CAAQM	Apr-17	92.7	*	6.6	36.8	24.2	*	0.9
15	Sanegruvanahalli CAAQM	Apr-17	53.0	*	2.6	32.7	20.8	*	0.5
16	RO Tumkur	Apr-17	132.0	56.0	*	28.0	32.0	0.1	*
17	RO Kolar	Apr-17	69.0	*	*	32.0	31.0	0.0	*
<b>Standards (24 hrs Time Weighted Average)</b>			<b>100.0</b>	<b>60.0</b>	<b>80.0</b>	<b>80.0</b>	<b>400.0</b>	<b>1.0</b>	<b>2.0</b>