

PROCEEDINGS OF THE 135TH STATE LEVEL CONSENT COMMITTEE MEETING(CFE, CFO & HWM AUTHORISATION) FOR THE YEAR 2018-19 HELD ON 14.05.2018 AT 11.00 A.M AT KARNATAKA STATE POLLUTION CONTROL BOARD,3RD FLOOR, BOARD MEETING HALL, NO: 49, PARISARA BHAVAN, CHURCH STREET, BANGALORE – 560 001.

MEMBERS PRESENT:

Sl. No.	Name	Designation
1.	Sri. Lakshman, Chairman, KSPCB.	Chairman
2.	Sri. G.V.Rangarao, IFS, Member Secretary, KSPCB	Member
3.	Sri. Venkatarama, Board Member, KSPCB.	Member
4.	Sri. B.G.Mohan Krishna, CEO-1, KSPCB	Invitee
5.	Sri. B.N.Ramesh Kumar, CEO-2, KSPCB	Invitee
6.	Sri. Madhusudan, Executive Engineer, BWSSB	Invitee
7.	Sri. Venkateshwarappa Gaddad, Deputy Director, Town Planning, Government of Karnataka.	Invitee
8.	Smt. Viji Karthikeyan, Environmental Officer, KSPCB.	Convener

Member absent: Sri. Piyus Rodrigues, Board Member, KSPCB.

I. Read & confirm the proceedings of 134th CCM held on 05.05.2018: The proceedings of the 134th CCM was read and confirmed, with the following modifications;

Agenda No	Subject	Decision
CFO 134:261	M/s.Woodstock Ambience Pvt. Ltd, at Sy. No. 123 & 124 of Singasandra Village, Begur Hobli, Bengaluru.	Committee after detailed deliberations recommended to defer the subject for not complying with Personal Hearing directions.
CFO 134:263	M/s.Brigade Enterprises Ltd., subsidiary of M/s. WTC Trades and Projects Pvt. Ltd., at Dr. Rajkumar Road, Malleshwaram, Bangalore.	Committee after detailed deliberations recommended to defer the subject in view of non-compliances to Chairman's directions.

II. Review of action taken on the proceedings of the 132nd CCM held on 06.04.2018: The Committee noted the action taken on the proceedings of the 132nd CCM held on 06.04.2018.

III. 135th CCM CFE SUBJECTS:

Sl. No.	AGENDA NO.	SUBJECT	DECISION
SEO- WMC			
1.	CFE:135:203	Shri Venkateshwara Copper Refinery, Khata No:41, Hosuru Village, Kirugadalu (P), Alur Taluk, Hassan – 573 201.	Committee after detailed deliberations, recommended to refuse CFE as the space is inadequate and proposed site is not converted for industrial purpose.
2.	CFE:135:204	The Commissioner, City Municipal Council, Bidar, Sy. No. 23/2, Gomali, Bidar Dist.	Recommended to issue CFE to install Sewage Treatment Plant of capacity of 17.26MLD and with condition to treat sewage to the standards prescribed by CPCB.
SEO- NEIA, OTHER THAN BANGALORE			
3.	CFE:135:205	Bharath Petroleum Corporation Ltd, (Mangalore Coastal Installation), Sy.No.30(P), 31(A), 32(P), Near APMC Yard, Baikampady, Mangalore, D.K.District.	Recommended to issue CFE-Expansion to increase storage capacity of petroleum product from 68,782KL to 70,107KL with conditions and EC conditions.

Sl. No.	AGENDA NO.	SUBJECT	DECISION
SEO- 17 CATEGORY			
4.	CFE:135:206	Shree Cements Ltd, Sy.No: 249, 278, 279, 280, 288,289, 290-305, 332-335-341, 356-360, Benkanhalli Village, Kodla Post, Sedam Taluk, Kalburagi District.	Recommended to issue CFE-Expansion for enhancement of power generation capacity from 20 TPH to 30TPH using WHRS with conditions.
CEO – NEIA, BANGALORE			
5.	CFE:135:207	Stumpp Schuele and Somappa Springs Pvt Ltd, Plot No. 04, Bommasandra Industrial Area, Attibele Hobli, Anekal Taluk, Bengaluru Urban District-560099.	Recommended to issue CFE-Expansion for manufacture of new products Outer Coil (OC) Springs of capacity 450 MT/Month and Front Fork Spring of capacity 100 MT/Month alongwith installation of Pre - treatment section (Phosphating) & Powder coating with conditions and to comply with 5 point criteria and directions given during Chairman's inspection of the unit.
6.	CFE:135:208	K.K. Coats, No. B-9, KSSIDC Shed, 4 th Phase, Jigani Link Road, Bommasandra, Bangalore – 560099.	Recommended to issue CFE to carry out Powder Coating on job work basis with pre-treatment activity of capacity 4,500Sqm/month (pre-treatment includes phosphating i.e degreasing, water rinse and activation) with conditions and to adopt 5 point criteria.
7.	CFE:135:209	Indian Oil Corporation Limited, (ATF Fuel) Bangalore Terminal, Devangonithi, Devanahalli Taluk, Bangalore – 560067.	Recommended to issue CFE-Expansion for installation of 3 DG sets viz., 1000KVA – 2 Nos & 500KVA– 1 No with conditions.
SEO- INFRASTRUCTURE			
8.	CFE:135:210	Mr. B. Subbayya, Sy. No. 125, Munnekolalu Village, Ward No. 149, Varthur Hobli, Bengaluru East Taluk, Bengaluru.	Recommended to issue notice to the unit to stop the construction activity. Thereafter issue CFE with conditions to comply with the Hon'ble NGT directions with respect to buffer distance from lakes and drains, after obtaining an affidavit from the project proponent that they will resume the construction activity after issue of CFE.
9.	CFE:135:211	Mythrielite Homes Pvt Ltd., Site/Khatha No. 2404, Sy. No. 74, Kothanur Village, Uttarahalli Hobli, Ward No. 194, Bengaluru.	Committee after detailed deliberations recommended to defer the subject. Project proponent to submit survey sketch from ADLR within 15 days and then place the subject in CCM. If they fail to submit within 15 days, refuse the CFE.
10.	CFE:135:212	Mrs. B.M. Shakunthala, Sy. No. 120, Khatha No. 651/651/120 of Doddakannelli Village, Varthur Hobli, Bengaluru East Taluk, Bengaluru.	Recommended to issue CFE with conditions to comply with the Hon'ble NGT directions with respect to buffer distance from lakes and drains.
11.	CFE:135:213	Mr. M. Devakumar, Smt. Yashodamma & Mr. B.C. Muniswamy, Khatha No. 1376/1584/1302/91/ 1,2,3 & 4 of Bilekahalli Village, Begur Hobli, Bengaluru – 560 076.	Recommended to issue CFE with conditions to comply with the Hon'ble NGT directions with respect to buffer distance from lakes and drains.

Sl. No.	AGENDA NO.	SUBJECT	DECISION
12.	CFE:135:214	Smt. Jayamma, Sri. P.R. Pillappa & Sri. P.R. Krishnappa, Sy. No. 72/1, 72/2 & 74/3, Khatha No. 2015, Municipal No. 156, Ward No. 149, Panathur Village, Varthur Hobli, Bengaluru East Taluk, Bengaluru.	Recommended to issue CFE with conditions to comply with the Hon'ble NGT directions with respect to buffer distance from lakes and drains.
13.	CFE:135:215	Dhammangi Developers Pvt Ltd, Site No. 33, K.P. Puttanna Chetty Road, K.G. Nagar, Ward No. 143, Bengaluru.	Recommended to issue CFE with conditions to comply with the Hon'ble NGT directions with respect to buffer distance from lakes and drains.
14.	CFE:135:216	Sri. Chamundeshwari Layout, Sy. No. 119 & 127 of Rampatna Village, Kasaba Hobli, Hunsur Taluk, Mysuru District.	Committee after detailed deliberations, recommended to issue CFE with conditions to comply with the Zonal Regulations of the Hunsur Planning Authorities after visit of the project site by the Consent Committee.
15.	CFE:135:217	Delta Enclaves Pvt Ltd, Khatha No. 2716, Sy. No. 16/8 of Gottigere Village, Uttarahalli Hobli, Bengaluru.	Committee after detailed deliberations recommended to defer the subject and project proponent to submit survey sketch of ADLR regarding nature of nala near the project site within 15 days and then place the subject in CCM. If they fail to submit within 15 days, refuse the CFE.
16.	CFE:135:218	Sri. G. Satyanarayana Reddy & Others, Sy. No. 64/5, Khatha No. 238/64/5, Municipal No. 20 of Sorahunse Village, Varthur Hobli, Bengaluru East Taluk, Bengaluru.	Committee after detailed deliberations recommended to defer the subject and project proponent to submit survey sketch of ADLR regarding nature of nala near the project site within 15 days and then place the subject in CCM. If they fail to submit within 15 days, refuse the CFE.
17.	CFE:135:219	Airports Authority of India, Plot No. R-3, Tehsil, Devanahalli, Bengaluru Rural District, Bengaluru.	Recommended to issue CFE with conditions to comply with the Zonal Regulations of the Local Planning Authorities and with EC conditions.
18.	CFE:135:220	Obel Builders, Sy. No.93/1 & 2, BBMP Khatha No.45, Horamavu Agara Village, K.R. Puram Hobli, Ward No. 25, Bengaluru East Taluk, Bengaluru.	Recommended to issue CFE with conditions to comply with the Hon'ble NGT directions with respect to buffer distance from lakes and drains.
SEO - MINES			
19.	CFE:135:221	Sri Siddalingeshwara Stone Crusher, Sy. No.1/180, Babybettadakavalu Village, Pandavapura Taluk, Mandya District.	Recommended to issue CFE-Expansion for enhancing stone crusher of capacity from 9000TPA to 200TPH and installing M-sand unit of capacity 120TPH with conditions.
20.	CFE:135:222	Sri Ranganatha Stone Crushers, Sy. No. 08, Baballi Village, Bhadravathi Taluk, Shivamogga District.	Recommended to issue CFE – Expansion for installing M-sand unit of capacity 50TPD with conditions.
21.	CFE:135:223	J. R. Enterprises, Sy. No. 137/A, Hosakeri Village, Hagari Bommanahalli Taluk, Ballari District.	Recommended to issue CFE for Stone crusher unit of capacity 10,400TPM (50 TPH) with conditions.

Sl. No.	AGENDA NO.	SUBJECT	DECISION
22.	CFE:135:224	OM Ganesh Stone Crusher, Sy. No. 99/2, Karoshi Village, Chikkodi Taluk, Belagavi District.	Recommended to issue CFE-Expansion for enhancing stone crusher of capacity from 30TPD to 150TPD and installing M-sand unit of capacity 50TPD with conditions.
23.	CFE:135:225	Kabini Stone Crusher & M-Sand Unit, Sy. No. 18, Arepura Village, Gundlupet Taluk, Chamarajanagara District.	Recommended to issue CFE for stone crusher and installing M-sand unit of capacity 36,000TPM with conditions.
24.	CFE:135:226	Sri Veerabhadraswamy Stone Crusher & M-Sand Plant, Sy. No. 67, Sankenahalli Village, Koratagere Taluk, Tumkur District.	Recommended to issue CFE for stone crusher and installing M-sand unit of capacity 12,000TPM with conditions.
25.	CFE:135:227	Bhagavathi Industries, Sy.No.153/P1P1, 74-Ulluru Village, Kundapura Taluk, Udupi District.	Recommended to issue CFE for installing stone crusher unit of capacity 50TPD with conditions.
26.	CFE:135:228	Matha Properties (India) Pvt. Ltd, Sy. No. 80/9, Tarikere Village, Kunigal Taluk, Tumkur District.	Recommended to issue CFE for stone crusher and installing M-sand unit of capacity 50,000TPM with conditions.
27.	CFE:135:229	Kushal Stone Crusher & M-Sand Plant, Sy. No. 97, Holathalu Village, Koratagere Taluk, Tumkur District.	Recommended to issue CFE for stone crusher and installing M-sand unit of capacity 30,000TPM with conditions.
28.	CFE:135:230	J. K. Stone Crusher, Sy. No. 132/Part P2, Bastihalli Village, Pandavapura Taluk, Mandya District.	Recommended to issue CFE – Expansion for installing M-sand unit of capacity 50TPH with conditions.
29.	CFE:135:231	Sri Vinayaka M-Sand Crusher, Sy. No. 61/1, Giduganahalli Village, Tumkur Taluk & District.	Recommended to issue CFE for stone crusher of capacity 3,000TPM and M-sand unit of capacity 4,000TPM with conditions.
30.	CFE:135:232	Gouri Stone Crusher, Sy. No. 220/8, Kallur Village, Humnabad Taluk, Bidar District.	Recommended to issue CFE for stone crusher of capacity 400TPD with conditions.
31.	CFE:135:233	Anjaneya Stone Crusher, Sy. No. 432/A3, Ucchangidurga Village, Harapanahalli Taluk, Davangere District.	Recommended to issue CFE – Expansion for installing M-sand unit of capacity 200TPH with conditions.
IV. CFE REIVEW SUBJECTS:			
SEO- NEIA, OTHER THAN BANGALORE			
32.	CFE:135:234	Dakshina Kannada Co-operative Milk Producer's Union Ltd, Kulshekar, Mangalore-575005.	Recommended to issue CFE-Expansion for installation of UHT flexi unit of capacity 0.6lakh liters/day (Expandable upto 1.2 lakh liters/day) and installation of 5 TPH briquette fired boiler with conditions.
SEO-INFRASTRUCTURE			
33.	CFE:135:235	Sri. K. N. Surendra Reddy, Sy. No. 446, 454, 459, 460, 469 of Marsur Village, Kasaba Hobli, Anekal Taluk, Bengaluru.	Committee after detailed deliberations, recommended to refuse CFE-Expansion as the project proponent has not submitted details called for by the Board.

Sl. No.	AGENDA NO.	SUBJECT	DECISION
34.	CFE:135:236	Bavisha Homes Pvt Ltd, Sy. No. 15/2, Kada Agrahara Village, Anekal Taluk, Bengaluru Urban District, Bengaluru.	Recommended to issue CFE with conditions to comply with the Zonal Regulations of the Local Planning Authorities.
35.	CFE:135:237	SBR Habitat LLP, Sy. No. 77, Katamnallur Village, Bidarahalli Hobli, Bengaluru East Taluk, Bengaluru.	Recommended to issue CFE with conditions to comply with the Hon'ble NGT directions with respect to buffer distance from lakes and drains and with EC conditions.
36.	CFE:135:238	Mrs. G. Bhagath, Sy. No. 53/6, Old No. 53/1, Khatha No. 68, Doddakannelli Village, Varthur Hobli, Bengaluru East Taluk, Bengaluru.	Recommended to issue CFE with conditions to comply with the Hon'ble NGT directions with respect to buffer distance from lakes and drains and with EC conditions.
37.	CFE:135:239	Gitanjali Developers, Sy.No. 27/4, 24/16, 24/17, 24/18, 24/19, & 20 Seegehalli Village, Bidarahalli Hobli, Bengaluru.	Recommended to issue CFE with conditions to comply with the Hon'ble NGT directions with respect to buffer distance from lakes and drains.
V. CFE SUBJECTS: SEO-INFRASTRUCTURE			
38.	CFE:135:240	Mr. S. N. Ravichandra, Sy.No:20/8, Bilekahalli Village, Begur Hobli, Bengaluru South Taluk, Bengaluru.	Committee after detailed deliberations, recommended to refuse CFE for non-compliance to NGT directions with respect to distance from water bodies / nala.
39.	CFE:135:241	Sanatana Homes Pvt. Ltd., at Sy.No: 457/1, 458/1, 458/7, 459/2 & 459/4 of Hoskote Village & Tq, Kasaba Hobli, Bengaluru Rural District.	Recommended to issue CFE with conditions to comply with the Zonal Regulations of the Local Planning Authorities.
VI.CFE REVIEW SUBJECTS:			
40.	CFE:135:242	Green Orchards Farm Houses in the name of "Artizan", Sy. No. 3P, 10, 11, 12, 13, 14, 15/1, 15/2, 15/3, 16/1, 16/2, 16/3, 17/1, 17/2, 17/3, 18, 19P, 20 & 21P of Vasudevapura Village & Sy. No. 8, 9 & 10 of Govindapura Village, Yelahanka Hobli, Bengaluru North Tq, Bengaluru.	Recommended to issue CFE with conditions to comply with the Hon'ble NGT directions with respect to buffer distance from lakes and drains.
41.	CFE:135:243	Shanthi Thangavelu, Sy. No: 101/2A, 2B, 101/6, 135 & 232 of K.Hemmanahalli Village, Jayapura Hobli, Mysuru-570 008.	Recommended to issue CFE with conditions to comply with the Zonal Regulations of the Local Planning Authorities.
SEO- WMC			
42.	CFE:135:244	Lainming Technology (India) Pvt. Ltd, Plot No: 110B, Bommasandra Indl. Area, Anekal Tq, Bengaluru-99.	Committee after detailed deliberations, recommended to refuse CFE as the proponent has proposed E-waste dismantling of 0.2MT/Month and not submitted/ obtained EPR required for carrying out refurbishment.

Sl. No.	AGENDA NO.	SUBJECT	DECISION
VII.ADDITIONAL CFE SUBJECTS:			
SEO - MINES			
43.	CFE:135:245	STG Stone Crusher, Sy.No:1/107, Babybettadakavalu Village, Pandavapura Taluk, Mandya District.	Recommended to issue CFE-Expansion for increasing the stone crusher capacity from 200TPH to 400TPH and installing M-sand unit of capacity 100TPH with conditions.
44.	CFE:135:246	J.K. Stone Crusher, Sy.No: 132/1A & 132/1K, Chandanamatti Village, Dharwad Taluk & District.	Recommended to issue CFE for installing stone crusher of capacity 150TPH with conditions.
VIII.CFE REVIEW SUBJECTS: SEO-INFRASTRUCTURE			
45.	CFE:135:247	Suruchi Properties Pvt Ltd., Sy. No. 143/2, 143/3, 146/1, 146/2, 146/3A, 146/3B, 147/1, 147/2, 148, 149, 155/1A, 155/1B, 155/3E, 155/3F, 155/3G, 156/1, 156/2, 156/3, 156/4, 156/5 & 156/6 of Kodihalli Village, Varthur Hobli, Off HAL Airport Road, Bengaluru East.	Recommended to issue CFE with conditions to comply with the Hon'ble NGT directions with respect to buffer distance from lakes and drains and EC conditions.
46.	CFE:135:248	Akruthi Enterprises & Adarsh Enterprises, Sy. No. 1, 2/1, 8/1 of Yelahanka Amanikere, Sy. No. 16 of Venkatala Village and Sy. No. 31/1, 31/2, 31/3, 32/1, 32/2, 33/1, 33/2, 33/3, 34/1, 34/2, 34/3, 35, 36, 38, 39, 40, 41, 45/1, 45/2, 45/5, 45/6, 45/7, 45/10 of Yelahanka Village and Hobli, NH – 7, Bengaluru.	Recommended to issue CFE with conditions to comply with the Hon'ble NGT directions with respect to buffer distance from lakes and drains.
CEO – NEIA, BANGALORE			
47.	CFE:135:249	IJM Concrete Products Pvt. Ltd., Sy. No. 35 of Mandur Village, Bidarahalli Hobli, Bengaluru East Taluk.	Committee after detailed deliberations recommended to refuse the CFE as the site is not suitable from environmental point of view.

Sd/-
CHAIRMAN

Sd/-
MEMBER SECRETARY

18/05/18
CONVENER

IX.CFO – SUBJECTS:			
Sl. No.	AGENDA NO.	SUBJECT	DECISION
SEO- WMC			
48.	CFO 135:264	E-Parisaraa Pvt. Ltd, Unit-2, No.P-10(a), III Stage, Peenya Industrial Estate, Bangaluru – 560 058.	Committee after detailed deliberations recommended to refuse the CFO in view of non-compliances and call the unit authorities for Personal Hearing before Chairman.
49.	CFO 135:265	A.R.Alloys, Sy. No. 37, B.K.K.Road, Gownipalli Village, Srinivasapura Taluk, Kolar Dist.	Recommended to issue CFO under Water & Air Acts for the period upto 30.06.2022 with conditions.
50.	CFO 135:266	SBM Enterprises, No. B19, Veerasandra Industrial Estate, Anekal Taluk, Bengaluru – 560 100.	Recommended to issue CFO under Water Act for the period upto 30.06.2022 with conditions.
SEO- NEIA, OTHER THAN BANGALORE			
51.	CFO 135:267	Jamshedpur Injection Powder Ltd., (JAMIPOL Ltd.,) Sy.No. 83, 88C & D and 154, JSW Steels Ltd., Ancillary Unit, Toranagallu, Sandur Taluk, Bellary District.	Recommended to issue CFO under Water & Air Acts for the period from 01.07.2017 to 30.06.2022 with conditions.
52.	CFO 135:268	Mysore Paints and Varnish Ltd, New Bannimantapa Layout, Mysore-570015.	Recommended to issue CFO under Water & Air Acts for the period from 01.07.2017 to 30.06.2022 with conditions.
53.	CFO 135:269	Bidadi Metal Finishers Pvt Ltd, Plot No.81, Sector-2, Bidadi Industries Area, Shyanamangala, Bidadi, Ramanagara District.	Recommended to issue CFO under Water & Air Acts for the period upto 30.06.2022 with conditions and to comply with 5 point criteria.
54.	CFO 135:270	Shwetha Chemicals, Plot No.12, KIADB Industrial Area, Kadakola, Mysore.	Recommended to issue CFO under Water & Air Acts for the period from 01.07.2017 to 30.06.2022 with conditions.
55.	CFO 135:271	A.M Aromatics & Essential Oils, Sy.No.41/2, Hejjala Village, Ramanagara Taluk & District.	Committee after detailed deliberations recommended to call the unit authorities for Technical Presentation before Chairman.
56.	CFO 135:272	Lotus Power Gear Pvt Ltd, No.294, Corner, 2 nd Phase, KIADB Industrial Area, Harohalli, Kanakapura Taluk, Ramanagara District.	Recommended to issue CFO under Water & Air Acts for the period upto 30.06.2021 with conditions.
57.	CFO 135:273	Govinda Milk & Milk Products, Plot No.456,R.S.No-456, Yamakanmardi Village, Hukkeri Taluk, Belagavi District.	Recommended to issue CFO under Water & Air Acts for the period from 01.07.2017 to 30.06.2021 with conditions.
58.	CFO 135:274	Aegis Gas Pvt Ltd, Plot No. 143 -144, KIADB Industrial Area, Belur - Dharwad, Dharwad- Dist.	Recommended to issue CFO under Water & Air Acts for the period from 01.07.2017 to 30.06.2022 with conditions.

Sl. No.	AGENDA NO.	SUBJECT	DECISION
59.	CFO 135:275	Vishal Khandasari Pvt Ltd, Plot No:12-A, Manhalli Village, Door No 9-5-144, Chidri Road, Gandhi Gunj, Bidar District.	Recommended to issue CFO under Water & Air Acts for the period from 01.07.2017 to 30.06.2022 with conditions.
60.	CFO 135:276	Kiran Global Chems Limited, Plot No.175B, KIADB Industrial Area, Baikambady, Mangalore-575011	Recommended to issue CFO under Water & Air Acts for the period from 01.07.2017 to 30.06.2022 with conditions.
CEO – NEIA, BANGALORE			
61.	CFO 135:277	Pallavi Chemicals Corporation No. 2, Nanda Gokula Layout, 3 rd Main Road, Thanisandra Main Road, Near SVN English School, Bangalore- 560045.	Committee after detailed deliberations recommended to refuse the CFO, issue NPD and call the unit authorities for Personal Hearing.
62.	CFO 135:278	Metal Arts, Plot No.344, 9th Cross, IV Phase, Peenya Industrial Area, Bengaluru – 560058.	Committee after detailed deliberations recommended to refuse the CFO, issue NPD and call the unit authorities for Personal Hearing.
63.	CFO 135:279	Bangalore Electro Plating Industry, Plot No: C-75, 2nd Stage, Peenya Industrial Estate, Bengaluru-560058.	Committee after detailed deliberations recommended to refuse the CFO, issue NPD and call the unit authorities for Personal Hearing.
64.	CFO 135:280	Standard Shapes and Profiles (P) Ltd, No.50, Industrial Suburb, Yeshwanthpura, Bengaluru Urban-560022.	Recommended to issue CFO under Water & Air Acts for period from 01.07.2017 to 30.06.2022 with conditions.
65.	CFO 135:281	Excel Process (Bangalore) Pvt. Ltd, Plot No. 278, 4 th Phase, Peenya Industrial Area, Bangalore-560058.	Recommended to issue CFO under Water & Air Acts for the period from 01.07.2017 to 30.06.2022 with conditions & to adopt 5 point criteria. Unit to apply for authorization under HWM Rules.
66.	CFO 135:282	Saify Industries, Unit – I, Plot No. 49A - 1, Bommasandra Industrial Area, 5 th Cross Off Hosur Road, Attibele Hobli, Anekal Taluk, Bangalore Urban District – 560099.	Recommended to issue CFO under Water & Air Acts for the period from 01.07.2017 to 30.06.2022 with conditions & to adopt 5 point criteria. Unit to treat in in-house ETP.
67.	CFO 135:283	Saify Industries, Unit – 2, Plot No. 4P-2, KIADB Industrial Area, Attibele, Hosur Road, Anekal Taluk, Bangalore – 562107.	Recommended to issue CFO under Water & Air Acts for the period from 01.07.2017 to 30.06.2022 with conditions & to adopt 5 point criteria. Unit to treat in in-house ETP.
68.	CFO 135:284	Analytica Chemie Inc, Plot No: 307 & 308, Model Export Park, IV Phase, 14th cross, Peenya Industrial Area, Bangalore.	Recommended to issue CFO under Water & Air Acts for the period from 01.07.2017 to 30.06.2022 with conditions.
69.	CFO 135:285	Lach Product, Shed No.B-278(A), 7th Main Road, II Stage, Peenya Industrial Estate, Bengaluru -560058.	Recommended to issue CFO under Water & Air Acts for the period from 01.07.2017 to 30.06.2022 with conditions & to adopt 5 point criteria.

Sl. No.	AGENDA NO.	SUBJECT	DECISION
70.	CFO 135:286	LGC Research & Development Center, No.488-B, 14th Cross, IV Phase, Peenya Industrial Area, Bengaluru-560058.	Recommended to issue CFO under Water & Air Acts for the period from 01.07.2017 to 30.06.2022 with conditions.
71.	CFO 135:287	Fouress Engineering (India) Limited, Plot No. 2, IIInd Phase, Peenya Industrial Area, Bengaluru-560058.	Committee after detailed deliberations recommended to refuse the CFO, issue NPD and call the unit authorities for Personal Hearing.
72.	CFO 135:288	Universal Flexible (P) Ltd, Plot No. 2-C, 4th Cross, Dyavasandra Industrial Area, Whitefield, Mahadevapura, Bangalore – 560048.	Recommended to issue CFO under Water & Air Acts for the period from 01.07.2017 to 30.06.2022 with conditions, after obtaining leak proof test report and affidavit regarding installation of forced evaporation pond.
73.	CFO 135:289	Suresh Flavours & Extracts Pvt Ltd, Plot No. 74-A, KSSIDC Industrial Estate, Bommasandra, Hosur Road, Anekal Taluk, Bangalore urban District.	Recommended to issue CFO under Water & Air Acts for the period from 01.07.2017 to 30.06.2022 with conditions.
74.	CFO 135:290	SM Industries, No.121/B, Bommasandra Industrial Area, Hosur Road, Anekal Tq, Bangalore Urban District.	Committee after detailed deliberations recommended to refuse CFO and issue NPD.
75.	CFO 135:291	Creative Coatings, Plot No. 192/2, Munireddy Estate, Near Gokuldas, Bommasandra Industrial Area, Hosur Road, Anekal Taluk, Bangalore.	Committee after detailed deliberations recommended to refuse CFO and issue NPD.
SEO-INFRASTRUCTURE			
76.	CFO 135:292	Sri. Piyoosh. M. Baldoda in the name of "Happy Valley Pearl", Khatha No. 112-113, Uttarahalli Hobli, Ward No. 184, Bengaluru – 560 061.	Committee after detailed deliberations recommended to defer the subject for want of clarification regarding nature of drain near the project site.
SEO- WMC			
77.	CFO 135:293 REVIEW	Sriram Eco Raksha Computer Services Pvt.Ltd, Shed No B-29, KSSIDC Industrial Estate, Bommasandra-Hosur Road, Anekal Taluk, Bengaluru Urban.	Recommended to issue CFO under Air Act for the period upto 30.06.2022 with conditions.
SEO-INFRASTRUCTURE			
78.	CFO 135:294	Somu Properties Pvt Ltd., (Salarpuria Ascent) No. 77, Near Jyothi Nivas College, Koramangala, Bengaluru.	Recommended to issue CFO under Water & Air Acts for the period upto 30.09.2022 with conditions.
79.	CFO 135:295	Purva Sunshine Apartment Owners Welfare Association, Sy. No. 48/1, 2, 49/1, 2, 3, 4, 50 & 51 of Kaikondanahalli Village, Varthur Hobli, Sarjapura Road, Bengaluru.	Recommended to issue CFO under Water Act for the period upto 30.06.2022 with conditions.
80.	CFO 135:296	Samethana Lake Front Residents Welfare Association, Sy.No. 66/2 & 66/3, Samethanahalli, Anugondanahalli Hobli, Hoskote Tq, Bengaluru Rural District.	Recommended to issue CFO under Water Act for the period upto 30.06.2020 with conditions.

Sl. No.	AGENDA NO.	SUBJECT	DECISION
81.	CFO 135:297	Eshwari Developers, Sy. No. 7/3, Kothanur Village, Uttarahalli Hobli, Bengaluru South Tq, Bengaluru.	Recommended to issue CFO under Water Act for the period upto 30.09.2022 with conditions.
82.	CFO 135:298	Brigade Enterprises, Sy. No. 114, 119/1, 119/2, 120, 121/1, 121/2, 121/3, 121/4, 122, 123, 124/1, 124/2, 124/3, 124/4, 124/5, 124/6, 124/7, 124/8, 124/9, 125/1, 125/2, 125/3, 125/4, 125/5, 125/6, 126, 126/1, 127/1, 127/4, 127/5, 136, 137, 138, 139, 140, 141, 142, 144/2, 144/1, 145, 146, 147, 148 & 149 of Kaggalipura Village, Uttarahalli Hobli, Bengaluru.	Recommended to issue CFO for Phase – I of the project under Water Act for the period upto 30.06.2022 with conditions after submission of proposal for installation of STP of additional capacity.
83.	CFO 135:299	Ferns Builders & Developers Limited in the name of "Ferns Icon Building", Sy. No. 28, 34/3, 36/2, 36/3, 36/4 & 36/5 of Doddanekundi Village, K.R. Puram Hobli, Bengaluru East Taluk, Bengaluru.	Recommended to issue CFO under Water & Air Acts for the period upto 30.06.2022 with conditions.
84.	CFO 135:300	Westend Heights Condominium Apartment Owners Association, Sy. No. 352/1P, 352/3P, 352/4P, 352/8P, 354/1, 354/2, 355, 356/1, 356/2, 356/3, 356/4A, 356/4B, 356/5, 356/6, 357/4P, 357/5, 357/8, 358/1, 358/2, 358/3, 358/4P, 357/5, 357/8, 358/1, 358/2, 358/3, 358/4P, 359P, 360/1P, 360/2P & 371/2P of Begur Village, Begur Hobli, Bengaluru South Taluk, Bengaluru.	Subject withdrawn.
SEO - MINES			
85.	CFO 135:301	J. K. Stone Crusher, Sy.No. 132/Part P2, Bastihalli Village, Pandavapura Taluk, Mandya District.	Recommended to issue CFO under Water Act for manufacture of M-sand of capacity 50TPH for the period upto 31.03.2021 with conditions.
86.	CFO 135:302	Shri Ram Stone Crusher, Sy. No. 97/1, Karoshi Village, Chikkodi Taluk, Belagavi District.	Recommended to issue CFO under Air Act for the period upto 31.03.2019 with conditions.
87.	CFO 135:303	M. Stones, Sy. No. 122, Sherwad Village, Hubballi Taluk, Dharwad District.	Committee after detailed deliberations recommended to refuse CFO as unit authorities have not submitted / obtained valid Form-C.
X. CFO REVIEW SUBJECTS:			
SEO- NEIA, OTHER THAN BANGALORE			
88.	CFO 135:304	Himatsingha Linens, Plot No.1, SEZ, KIADB Industrial Area, Gorur Road, Hassan-573201.	Recommended to issue CFO under Water & Air Acts for enhanced capacity for the period upto 30.06.2021 with conditions, after submission of MEE proposal from the industry and to complete installation of the same within 6 months.

Sl. No.	AGENDA NO.	SUBJECT	DECISION
89.	CFO 135:305	Dakshina Kannada Co-operative Milk Producer's Union Ltd, Kulshekar, Mangalore-575005.	Recommended to issue CFO for existing products only under Water & Air Acts for the period upto 30.06.2021 with conditions.
XI.ADDITIONAL REVIEW SUBJECT: SEO - MINES			
90.	CFO 135:306	P. Balasubba Setty Power & Steel (formerly known as M/s KMMI Ispat Pvt. Ltd), Sy.No:63-66, Halavarti village, Koppal Taluk & District.	Recommended to issue CFO as per legal opinion taken under Water & Air Acts for the period upto 30.06.2021 with condition to transfer and submit EC in the name of present Occupier within 6 months.
XII. HWM AUTHORIZATION - SEO- WMC			
91.	AUTH:135:30	Gopalan Global Axis, Phase-1, Plot No.152, EPIP Industrial Area, Hoody Village, KR Puram, Bangalore 560002.	Recommended to issue HWM authorization with conditions after verifying the validity of CFO.

Sd/-
CHAIRMAN

Sd/-
MEMBER SECRETARY

GP 18/05/18
CONVENER

Copy to:

1. PA to Chairman for information & to bring it to the kind notice of Hon'ble Chairman.
2. PA to Member Secretary for information & bring it to the kind notice of Member Secretary.
3. Sri. Venkatarama, Board Member, KSPCB, Bangalore for information.
4. Sri. Piyus Rodrigues, Board Member, KSPCB, Bangalore for information.
5. Sri. B.G.Mohan Krishna, Chief Environmental Officer-1, for information.
6. Sri. B.N.Ramesh Kumar, Chief Environmental Officer-2, for information.
7. Director of Town Planning, GoK, Bangalore, for information.
8. Chief Executive Engineer, BWSSB, Bangalore for information.
9. Smt. Viji Karthikeyan, Environmental Officer, Bangalore, for information.
10. All SEOs of Board Office for information and further needful.
11. Sri. N.R.Raju, EO- E-Governance Cell, for information and to upload the proceedings in the Board's website.
12. Corporate Cell for information.

